## according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878

Article No.: 2 05710 A0000 epple-easy 5710

Print date 16.03.2023 Revision date 16.03.2023

Version 16.03.2023 Page 1 / 8



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

2 05710 A0000 Article No. (manufacturer/supplier): Trade name/designation epple-easy 5710

Adhesive Component A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Adhesive for the gluing of most diverse substrates.

#### 1.3. Details of the supplier of the safety data sheet

#### supplier (manufacturer/importer/downstream user/distributor)

E. Epple & Co. GmbH

Hertzstr. 8 Telephone: +49 7032 / 9771-17 71083 Herrenberg Telefax: +49 7032 / 9771-60 www.epple-chemie.de

#### Department responsible for information:

laboratory

E-mail (competent person) labor@epple-chemie.de

1.4. Emergency telephone number

Information center against poisoning Bonn +49 (0) 228 / 19 240 (Advice in German)

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

**Hazard statements** 

not applicable

**Precautionary statements** 

not applicable

Hazard components for labelling

not applicable

Supplemental hazard information

**FUH210** Safety data sheet available on request.

#### 2.3. Other hazards

No information available.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. **Mixtures**

Description branched polyalcohol, filled

**Hazardous ingredients** 

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No.	REACH No.	
CAS No.	Designation	weight-%
Index No.	classification: // Remark	
236-675-5	01-2119489379-17	
13463-67-7	Titanium dioxide	0,1 - 0,9
	Carc. 2 H351	

## according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878

Article No.: 2 05710 A0000 e Print date 16.03.2023 R

2 05710 A0000 epple-easy 5710 16.03.2023 Revision date 16.03.2023

Version 8.0 16.03.2023



EN Page 2 / 8

#### Additional information

Full text of classification: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

#### Unsuitable extinguishing media

strong water jet

#### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

#### **Additional information**

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

## 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

#### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878

Article No.: 2 05710 A0000 Print date 2 05710 A0000

epple-easy 5710

Revision date 16.03.2023

Version 8.0 16.03.2023



EN Page 3 / 8

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limit values

Titanium dioxide

EC No. 236-675-5 / CAS No. 13463-67-7

TWA: 10 mg/m3

#### **Additional information**

TWA: Long-term occupational exposure limit value STEL: short-term occupational exposure limit value

Ceiling: peak limitation

#### DNEL:

Titanium dioxide

EC No. 236-675-5 / CAS No. 13463-67-7

DNEL long-term inhalative (systemic), Workers: 10 mg/m³

#### PNEC:

Titanium dioxide

EC No. 236-675-5 / CAS No. 13463-67-7 PNEC aquatic, freshwater: 0,127 mg/L PNEC aquatic, marine water: 1 mg/L

PNEC aquatic, intermittent release: 0,61 mg/L PNEC sediment, freshwater: 1000 mg/kg PNEC sediment, marine water: 100 mg/kg

PNEC, soil: 100 mg/kg

PNEC sewage treatment plant (STP): 100 mg/L PNEC Secondary Poisoning: 1667 mg/kg

## 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

### Personal protection equipment

## Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

### **Hand protection**

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove

## according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878

Article No.: 2 05710 A0000 epple-easy 5710

Print date 16.03.2023 Revision date 16.03.2023

Version 16.03.2023



ΕN Page 4 / 8

manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Wear closely fitting protective glasses in case of splashes.

#### **Body protection**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Physical state: Liquid Paste Appearance: Colour: vellow Odour. odourless Odour threshold: not applicable

Melting point/freezing point -12 °C

Initial boiling point and boiling range: not applicable Flammability: Combustible liquid.

Lower and upper explosion limit:

Lower explosion limit: not applicable **Upper explosion limit:** not applicable > 200 °C Flash point: Auto-ignition temperature: not applicable

**Decomposition temperature:** not applicable pH at 20 °C: not relevant

Cinematic viscosity (40°C): > 94285,71 mm<sup>2</sup>/s

Viscosity at 20 °C: 400 - 500 Pa\*s

Solubility(ies):

Water solubility at 20 °C: insoluble Partition coefficient: n-octanol/water: see section 12 Vapour pressure at 20 °C: not applicable

Density and/or relative density:

Density at 20 °C: 1,05 g/cm<sup>3</sup> Relative vapour density: not applicable particle characteristics: not applicable

9.2. Other information

solvent content:

Organic solvents: 0 weight-% Water: 0 weight-%

Solvent separation test: < 3 weight-% (ADR/RID)

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to

## according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878

Article No.: 2 05710 A0000 epple-easy 5710

Print date 16.03.2023 Revision date 16.03.2023

Version 8.0 16.03.2023



EN Page 5 / 8

section 7.

#### 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5. Incompatible materials

not applicable

#### 10.6. Hazardous decomposition products

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Titanium dioxide

oral, LD50, Rat: > 5000 mg/kg

Method: OECD 420

inhalative (dust and mist), LC50, Rat: > 6,82 mg/L (4 h)

#### Skin corrosion/irritation; Serious eye damage/eye irritation

Titanium dioxide

Skin:, Rabbit: Evaluation non-irritant.

Method: OECD 404

Eyes:, Rabbit.: Evaluation non-irritant.

Method: OECD 405

#### Respiratory or skin sensitisation

Titanium dioxide

Skin, Mouse: ; Evaluation not sensitising.

Method: OECD 429

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

No information available.

#### **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Titanium dioxide


## according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878

Article No.: 2 05710 A0000 epple-easy 5710

Print date 16.03.2023 Revision date 16.03.2023

ΕN Page 6 / 8 Version 16.03.2023





Method: EPA-600/9-78-018

Bacterial toxicity:, EC50:, Activated sludge: > 1000 (3 h)

Method: OECD 209 Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

**Bioconcentration factor (BCF)** 

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal / Product

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### List of proposed waste codes/waste designations in accordance with EWC

080410 waste adhesives and sealants other than those mentioned in 08 04 09

#### Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

#### **SECTION 14: Transport information**

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

Land transport (ADR/RID) not applicable Marine pollutant not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8



# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878

Article No.: Print date Version 2 05710 A0000 16.03.2023 epple-easy 5710

Revision date 16.03.2023

16.03.2023



EN Page 7 / 8

#### **Further information**

#### Land transport (ADR/RID)

Tunnel restriction code

## Sea transport (IMDG)

EmS-No. not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** legislation

#### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L): 0

#### **National regulations**

#### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

#### Substance/product listed in the following inventories:

AICS no informtion

DSL no information

EHS no information

IECSC no information

KECI no information

MITI no information

NZLoC no information

PICCS no information

TCSI no information

TSCA no information

#### 15.2. Chemical Safety Assessment

## For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation	REACH No.
CAS No.		
236-675-5	Titanium dioxide	01-2119489379-17
13463-67-7		

#### **SECTION 16: Other information**

#### Full text of classification in section 3:

Carc. 2 / H351 Carcinogenicity

Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

#### Abbreviations and acronyms

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL Occupational Exposure Limit Value

BLV Biological Limit Value CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging CMR Carcinogenic, Mutagenic and Reprotoxic

DIN German Institute for Standardization / German industrial standard

DNEL Derived No-Effect Level

EAKV European Waste Catalogue Directive

EC Effective Concentration
EC European Community
EN European Standard

## according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878

2 05710 A0000 Article No.: epple-easy 5710 Revision date 16.03.2023 Print date 16.03.2023

Version 16.03.2023

ΕN Page 8 / 8



IBC Code International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI

International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous

Goods by Air

IMDG Code International Maritime Code for Dangerous Goods ISO International Organization for Standardization

Lethal Concentration LC

LD Lethal Dose

MARPOL Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

**OECD** Organisation for Economic Cooperation and Development

**PBT** persistent, bioaccumulative, toxic **PNEC** Predicted No Effect Concentration

Registration, Evaluation, Authorisation and Restriction of Chemicals **REACH** 

Regulations concerning the International Carriage of Dangerous Goods by Rail RID

UN **United Nations** 

VOC Volatile Organic Compounds

vPvB very persistent and very bioaccumulative

#### Abbreviations and acronyms

n.a. = not applicable n.b. = not determined

#### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1.lt is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.