

Article Print o Versio	date on	4 06855 BN000 11.05.2023 5.0	epple 06855-new Revision date 11.05 Issue date 11.05.20	023	EN Page 1 / 15	
SEC	TION 1: Ide	entification of the	substance/mixtu	re and of the company	/undertaking	9
1.1.	Product id	entifier				
		(manufacturer/suppl e/designation	ier):	4 06855 BN000 epple 06855-new cast resin component B UFI: 9250-10GH-D00M-V	/5GG	
1.2.	Relevant id	dentified uses of th	e substance or mix	ture and uses advised ag	gainst	
1.3.	Relevant identified uses Casting resin for casting electronic and other cast. Details of the supplier of the safety data she			pnents.		
	supplier (manufacturer/importer/downstrean E. Epple & Co. GmbH			er/distributor)		
	Hertzstr. 8 71083 Herr	enberg		Telephone: +49 7032 / 97 Telefax: +49 7032 / 9771 www.epple-chemie.de		
	laboratory	nt responsible for in	nformation:			
	``	npetent person)		labor@epple-chemie.de		
1.4.		y telephone numbe center against pois		+49 (0) 228 / 19 240 (Adv	vice in Germar	n)
SEC	TION 2: Ha	zards identificati	on			
2.1.	Classificat	ion of the substan	ce or mixture			*

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Skin Irrit. 2 / H315	Skin corrosion/irritation	Causes skin irritation.
Eye Irrit. 2 / H319	Serious eye damage/eye irritation	Causes serious eye irritation.
Resp. Sens. 1 / H334	Respiratory or skin sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1 / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.
Carc. 2 / H351	Carcinogenicity	Suspected of causing cancer.
STOT SE 3 / H335	STOT-single exposure	May cause respiratory irritation.
STOT RE 2 / H373	STOT-repeated exposure	May cause damage to organs through
		prolonged or repeated exposure.

2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Danger

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
Precautionar	v statements

P201 Obtain special instructions before use.

- P260 Do not breathe vapour.
- P280 Wear protective gloves.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.



Article Print o Versio	late	4 06855 BN000 11.05.2023 5.0	epple 06855-new Revision date 11.05.2023 Issue date 11.05.2023	EN Page 2 / 15	
			ritation or rash occurs: Get medica of contents / container to a certifi		۷.
	2,2'-met diphenyl diphenyl Supplemental hazard informa		Iling Imethane Diisocyanate, isomers a hylenediphenyl diisocyanate Imethane-4,4´-diisocyanate Imethane-2,4`-diisocyanate	and homologues	
			<mark>ation</mark> s isocyanates. May produce an all	ergic reaction.	
	Use restriction according to Restrictions on use As from 24 August 2023 adequ		REACH annex XVII, no.: 74 uate training is required before ind	ustrial or professional use.	
2.3.	Other haza	ards			
	No information available.				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description aromatic polyisocyanates

Hazardous ingredients

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No. CAS No. Index No.	REACH No. Designation classification: // Remark	weight-%
618-498-9 9016-87-9	Diphenylmethane Diisocyanate, isomers and homologues Acute Tox. 4 H332 / Skin Irrit. 2 H315 / Eye Irrit. 2 H319 / Resp. Sens. 1 H334 / Skin Sens. 1 H317 / Carc. 2 H351 / STOT SE 3 H335 / STOT RE 2 H373 Specific concentration limit (SCL): Eye Irrit. 2 H319 >= 5 / Skin Irrit. 2 H315 >= 5 / Resp. Sens. 1 H334 >= 0,1 / STOT SE 3 H335 >= 5	74,9 - 100
202-966-0 101-68-8 615-005-00-9	01-2119457014-47 diphenylmethane-4,4'-diisocyanate Acute Tox. 4 H332 / Skin Irrit. 2 H315 / Eye Irrit. 2 H319 / Resp. Sens. 1 H334 / Skin Sens. 1 H317 / Carc. 2 H351 / STOT SE 3 H335 / STOT RE 2 H373 Specific concentration limit (SCL): Eye Irrit. 2 H319 >= 5 / Skin Irrit. 2 H315 >= 5 / Resp. Sens. 1 H334 >= 0,1 / STOT SE 3 H335 >= 5 Acute toxicity estimate (ATE): ATE (inhalation, dust/mist): 0,36 mg/L	9,9 - 19,9
227-534-9 5873-54-1 615-005-00-9	01-2119480143-45 diphenylmethane-2,4`-diisocyanate Carc. 2 H351 / Acute Tox. 4 H332 / STOT RE 2 H373 / Eye Irrit. 2 H319 / STOT SE 3 H335 / Skin Irrit. 2 H315 / Resp. Sens. 1 H334 / Skin Sens. 1 H317 Specific concentration limit (SCL): Eye Irrit. 2 H319 >= 5 / Skin Irrit. 2 H315 >= 5 / Resp. Sens. 1 H334 >= 0,1 / STOT SE 3 H335 >= 5 Acute toxicity estimate (ATE): ATE (inhalation, dust/mist): 0,38 mg/L	9,9 - 19,9
219-799-4 2536-05-2 615-005-00-9	01-2119927323-43 2,2'-methylenediphenyl diisocyanate Carc. 2 H351 / Acute Tox. 4 H332 / STOT RE 2 H373 / Eye Irrit. 2 H319 / STOT SE 3 H335 / Skin Irrit. 2 H315 / Resp. Sens. 1 H334 / Skin Sens. 1 H317 Specific concentration limit (SCL): Eye Irrit. 2 H319 >= 5 / Skin Irrit. 2 H315 >= 5 / Resp. Sens. 1 H334 >= 0,1 / STOT SE 3 H335 >= 5 Acute toxicity estimate (ATE): ATE (inhalation, dust/mist): 0,52 mg/L	< 0,1

Additional information

Full text of classification: see section 16



Article No.:	4 06855 BN000	epple 06855-new
Print date	11.05.2023	Revision date 11.05.2023
Version	5.0	Issue date 11.05.2023

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Use appropriate container to avoid environmental contamination. Fouled surfaces must be immediately cleaned with suitable solvents, Useable as such (flammable): water 45 vol.% ethanol or i-propanol 50 vol. % ammonia solution (density= 0.88) 5 vol.% Alternative (non-flammable): sodium carbonate 5 vol.% water 95 vol.%.

Take up spilled residuals with the same agent and leave them for a few days in unclosed containers until there is no further reaction. Then, close the containers and dispose of them in accordance with the regulations for waste removal (refer to section 13).

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage



Article No.:	4 06855 BN000	epple 06855-new
Print date	11.05.2023	Revision date 11.05.2023
Version	5.0	Issue date 11.05.2023

People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this mixture.

People who spray this preparation should have regular pulmonary function tests.

7.1. Precautions for safe handling

Advices on safe handling

Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers. Keep away from amines, alcohols and water.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this mixture.

People who spray this preparation should have regular pulmonary function tests.

8.1. Control parameters

Occupational exposure limit values

not applicable

DNEL:

diphenylmethane-4,4'-diisocyanate

Index No. 615-005-00-9 / EC No. 202-966-0 / CAS No. 101-68-8

DNEL short-term oral (acute), Workers:

- DNEL acute dermal, short-term (local), Workers: 28,7 mg/kg
- DNEL acute dermal, short-term (systemic), Workers: 50 mg/kg
- DNEL acute inhalative (local), Workers: 0,1 mg/m³
- DNEL acute inhalative (systemic), Workers: 0,1 mg/m³
- DNEL long-term inhalative (local), Workers: 0,05 mg/m³
- DNEL long-term inhalative (systemic), Workers: 0,05 mg/m³

diphenylmethane-2,4`-diisocyanate

Index No. 615-005-00-9 / EC No. 227-534-9 / CAS No. 5873-54-1

- DNEL short-term oral (acute), Workers:
- DNEL long-term oral (repeated), Workers:
- DNEL acute dermal, short-term (local), Workers: 28,7 mg/kg
- DNEL acute dermal, short-term (systemic), Workers: 50 mg/kg
- DNEL acute inhalative (local), Workers: 0,1 mg/m³
- DNEL acute inhalative (systemic), Workers: 0,1 mg/m³
- DNEL long-term inhalative (local), Workers: 0,05 mg/m³
- DNEL long-term inhalative (systemic), Workers: 0,05 mg/m³
- 2,2'-methylenediphenyl diisocyanate
- Index No. 615-005-00-9 / EC No. 219-799-4 / CAS No. 2536-05-2
- DNEL acute dermal, short-term (local), Workers: 28,7 mg/cm²
- DNEL acute dermal, short-term (systemic), Workers: 50 mg/kg bw/day
- DNEL acute inhalative (local), Workers: 0,1 mg/m³
- DNEL acute inhalative (systemic), Workers: 0,1 mg/m³
- DNEL long-term inhalative (local), Workers: 0,05 mg/m³
- DNEL long-term inhalative (systemic), Workers: 0,05 mg/m³



Article No.:	4 06855 BN000	epple 06855-new
Print date	11.05.2023	Revision date 11.05.2023
Version	5.0	Issue date 11.05.2023

PNEC:

diphenylmethane-4,4'-diisocyanate Index No. 615-005-00-9 / EC No. 202-966-0 / CAS No. 101-68-8 PNEC aquatic, freshwater: 1 mg/L PNEC aquatic, marine water: 0,1 mg/L PNEC, soil: 1 mg/kg dry weight PNEC sewage treatment plant (STP): 1 mg/L diphenylmethane-2,4`-diisocyanate Index No. 615-005-00-9 / EC No. 227-534-9 / CAS No. 5873-54-1 PNEC aquatic, freshwater: > 1 mg/L PNEC aquatic, marine water: > 0,1 mg/L

PNEC, soil: > 1 mg/kg

PNEC sewage treatment plant (STP): > 1 mg/L

2,2'-methylenediphenyl diisocyanate

Index No. 615-005-00-9 / EC No. 219-799-4 / CAS No. 2536-05-2

PNEC aquatic, freshwater: > 1 mg/L PNEC, soil: > 1 mg/kg

PNEC sewage treatment plant (STP): > 1 mg/L

8.2. Exposure controls

Personal protection equipment

Respiratory protection

If the workplace limit values (AGW) are exceeded, a suitable breathing apparatus must be worn. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Use filter / combination filter according to EN 14387.

Suitable respiratory protection apparatus: ABEK-P2

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear eye glasses with side protection according to EN 166.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Appearance: Colour:	Liquid Liquid brown
Odour:	characteristic
Odour threshold:	not applicable
Melting point/freezing point:	-24 °C Source: Diphenylmethane Diisocyanate, isomers and homologues
Initial boiling point and boiling range:	not applicable
Flammability:	Combustible liquid.
Lower and upper explosion limit: Lower explosion limit: Upper explosion limit:	not applicable not applicable



Article Print o Versio	date	4 06855 BN000 11.05.2023 5.0	epple 06855 Revision dat Issue date 1	e 11.05.2023	EN Page 6 / 15	
	Flash point:			200 °C		
	Auto-ign	ition temperature:		not applicable		
	Decomp	osition temperature	:	not applicable		
	pH at 20	°C:		not applicable		
	Cinemat	ic viscosity (40°C):		122,95 mm²/s		
	Viscosit	y at 20 °C:		0,1 - 0,2 Pa*s		
	Solubility(ies): Water solubility at 20 °			insoluble		
	Partition	coefficient: n-octan	ol/water:	see section 12		
	Vapour p	pressure at 20 °C:		not applicable		
	Density and/or relative density: Density at 20 °C:		ity:	1,22 g/cm³		
	Relative	vapour density:		not applicable		
	particle	characteristics:		not applicable		
9.2.	Other in	formation				
	Solid co	ntent:		100 weight-%		
	solvent o Organio Water:	content: c solvents:		0 weight-% 0 weight-%		
		separation test:		< 3 weight-% (ADR/	/RID)	
000		Stability and road	41		,	_

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strongly acidic and alkaline materials as well as oxidizers. Keep away from amines, alcohols and water. Reacts with water, forming carbon dioxide, producing bursting hazard in closed containers due to build-up of pressure.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures. Thermal decomposition: at > 260 °C:.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

diphenylmethane-4,4'-diisocyanate oral, LD50, Rat: > 2000 mg/kg Method: Directive 84/449/EWG, B.1 Toxicological study on a comparable product dermal, LD50, Rabbit: > 9400 mg/kg Method: OECD 402 Investigation on a comparable product inhalative (dust and mist), LC50, Rat: 0,368 mg/L (4 h); Evaluation Harmful if inhaled. Method: OECD 403

diphenylmethane-2,4`-diisocyanate



Article No.: Print date Version	4 06855 BN000 11.05.2023 5.0	epple 06855-new Revision date 11.05.2 Issue date 11.05.202	
Metho Toxico derma Metho Invest	D50, Rat: > 2000 mg/ od: Directive 84/449/E plogical study on a cor al, LD50, Rabbit: > 940 od: OECD 402 tigation on a comparat	WG, B.1 nparable product 0 mg/kg le product	4 b). Traduction Hermfel if inducted
2,2'-me oral, L Metho Toxico derma Metho Invest	thylenediphenyl diisoc D50, Rat: > 2000 mg/ od: Directive 84/449/E ological study on a cor al, LD50, Rabbit: > 940 od: OECD 402 tigation on a comparate	yanate kg WG, B.1 nparable product 0 mg/kg le product	4 h); Evaluation Harmful if inhaled. 4 h); Evaluation Harmful if inhaled.
	od: OECD 403		
oral, L Metho Invest derma Metho inhala Metho	D50, Rat: > 2000 mg/ od: OECD 401 ligation on a comparate al, LD50, Rabbit: > 940 od: OECD 402 litive (dust and mist), L od: OECD 403	ole product i0 mg/kg C50, Rat: 0,31 mg/L (4	h)
Skin co	orrosion/irritation; Se	rious eye damage/eye	irritation
Causes	skin irritation.		
Causes	s serious eye irritation.		
Skin, Metho Toxico eyes, Metho	ylmethane-4,4´-diisocy Rabbit: Evaluation Car od: OECD 404 ological study on a cor Rabbit.: Evaluation no od: OECD 405 ological study on a cor	uses skin irritation. nparable product n-irritant.	
Skin, Metho	ylmethane-2,4`-diisocy Rabbit: Evaluation irrit od: OECD 404 blogical study on a cor	ant.	
Skin,	thylenediphenyl diisoc Rabbit: Evaluation mile od: OECD 404		
Škin:,	ylmethane Diisocyana Rabbit: Evaluation mil od: OECD 404	te, isomers and homolog d irritant.	lues
Respir	atory or skin sensitis	ation	
May ca	use allergy or asthma	symptoms or breathing o	difficulties if inhaled.
May ca	use an allergic skin re	action.	
Skin, Metho	ylmethane-4,4´-diisocy Mouse: ; Evaluation po od: OECD 429 ratory system, Guinea		3
diphen Skin, Metho	ylmethane-2,4`-diisocy Mouse: ; Evaluation po od: OECD 429	anate ositive	·

Toxicological study on a comparable product

Respiratory system, Guinea pig: ; Evaluation positive

Toxicological study on a comparable product



Article No.: Print date Version	4 06855 BN000 11.05.2023 5.0	epple 06855-new Revision date 11.05.2023 Issue date 11.05.2023	EN Page 8 / 15	
Skin, Mou Method: 0 May caus Respirato May caus Diphenylme Skin, Mou Method: 0 May caus Respirato	e sensitization by in	sitive. sin contact. sig: ; Evaluation positive halation.; Toxicological study on a comparal e, isomers and homologues sitive sitive sitive aluation positive	ble product	
CMR effec	ts (carcinogenicity	, mutagenicity and toxicity for reproducti	on)	
Suspected	of causing cancer.			
Carcinoge Method: 0 inhalative Reproduc Method: 0 rat, female genotoxic Method: 0 in-vitro; S genotoxic Method: 0 in-vivo; ra genotoxic Method: 0 in-vivo; ra diphenylme Carcinoge Method: 0 inhalative Reproduc Method: 0 inhalative Reproduc Method: 0	OECD 453 ; Investigation on a tive toxicity; Evaluat OECD 414 e; inhalative; Investi ity; Evaluation nega OECD 471 (Ames te almonella typhimuri ity; Evaluation nega OECD 474 t, male; inhalative ity; Evaluation nega OECD 489 t, male; inhalative ethane-2,4`-diisocya enicity; Evaluation C OECD 453 ; Investigation on a tive toxicity; Evaluat OECD 414	iccurrence of tumors in the highest dose gro comparable product ion Does not show teratogenic effects in an gation on a comparable product tive est). um; Toxicological study on a comparable pro tive tive tive nate iccurrence of tumors in the highest dose gro comparable product ion Does not show teratogenic effects in an gation on a comparable product tive	imal experiments oduct	
in-vitro genotoxic Method: (in-vivo; ra 2,2'-methyl Carcinoge Method: (Investigat Reproduc Method: (Investigat genotoxic Method: (in-vitro genotoxic Method: (ity; Evaluation nega OECD 474 t, male; inhalative enediphenyl diisocy enicity; Evaluation C OECD 453 ion on a comparable tive toxicity; Evaluat OECD 414 ion on a comparable ity; Evaluation nega OECD 471 (Ames te ity; Evaluation nega OECD 474	tive anate accurrence of tumors in the highest dose gro e product ion Does not show teratogenic effects in an e product tive est).		
Diphenylme Carcinoge	ethane Diisocyanate	al study on a comparable product e, isomers and homologues occurrence of tumors in the highest dose gro	pup	



icle No.: nt date rsion	4 06855 BN000 11.05.2023 5.0	epple 06855-new Revision date 11.05.2 Issue date 11.05.202		E Page 9 /	
Reproo Metho	d: OECD 414	tion Does not show tera	atogenic effects	in animal experime	ents
genoto	nale; inhalative oxicity; Evaluation nega d: OECD 471 (Ames t				
in-vitro genoto	o oxicity; Evaluation nega				
	d: OECD 474 · rat_male: Investigatio	on on a comparable pro	duct		
	ingle exposure; STO				
	use respiratory irritation				
-			posted expecture	0	
-		through prolonged or re	pealed exposur	e.	
Specifi	ic target organ toxicity	(single exposure), Irrita			atory irritation. rgans through prolonged or repeate
Specifi	Imethane-2,4`-diisocya ic target organ toxicity ive; Respiratory syster	(single exposure), Irrita	tion Evaluation	May cause respira	atory irritation.
Specifi exposu		(repeated exposure) E	valuation May c	ause damage to or	rgans through prolonged or repeate
Specifi inhalat Specifi exposi	ive; Respiratory system ic target organ toxicity	(single exposure), Irrita n (repeated exposure) E			atory irritation. rgans through prolonged or repeate
		, isomers and homolog	lues		
Specif		(single exposure), Irrita		May cause respira	atory irritation.
exposi	ic target organ toxicity ure if inhaled atory system; inhalativ		valuation May c	ause damage to or	rgans through prolonged or repeate
Aspirat	ion hazard				
Based o	on available data, the c	lassification criteria are	not met.		
Practica	al experience/human	evidence			
This mix asthmat inhaling	ture may cause acute ic complaints. After se can lead to permanen	irrtation and/or sensitiz nsitization even concen	ation of airways Itrations below th Iry tract. Repeate	which lead to tightr ne exposure limit va ed or prolonged co	ar preparations the following applie ness in thorax, short-breath and alues may cause asthma. Repeated ntact with the preparation may caus sorption through skin.
Overall	assessment on CMR	properties			
			a for classificatio	n as CMR category	y 1A or 1B according to CLP.
Remark					-
There is	s no information availa	ble on the preparation	itself . The pre	paration has been	assessed following the convention

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.



Article No.:	4 06855 BN000	epple 06855-new
Print date	11.05.2023	Revision date 11.05.2023
Version	5.0	Issue date 11.05.2023

12.1. Toxicity

diphenylmethane-4,4'-diisocyanate Fish toxicity, LC50, Danio rerio : > 1000 mg/L (96 h) Method: OECD 203 Investigation on a comparable product Algae toxicity, ErC50, Scenedesmus subspicatus: > 1640 mg/L (72 h) Method: OECD 201 Investigation on a comparable product Daphnia toxicity, EC50, Daphnia magna (Big water flea): > 1000 mg/L (24 h) Method: OECD 202 Investigation on a comparable product Bacteria toxicity, EC50, Activated sludge: > 100 mg/L (3 h) Method: OECD 209 Investigation on a comparable product diphenylmethane-2,4'-diisocyanate Fish toxicity, LC50, Danio rerio : > 1000 mg/L (96 h) Method: OECD 203 Investigation on a comparable product Algae toxicity, ErC50, Scenedesmus subspicatus: > 1640 mg/L (72 h) Method: OECD 201 Investigation on a comparable product Daphnia toxicity, EC50, Daphnia magna (Big water flea): > 1000 mg/L (24 h) Method: OECD 202 Investigation on a comparable product Bacteria toxicity, EC50, Activated sludge: > 100 mg/L (3 h) Method: OECD 209 Investigation on a comparable product 2,2'-methylenediphenyl diisocyanate Fish toxicity, LC50, Danio rerio : > 1000 mg/L (96 h) Method: OECD 203 Investigation on a comparable product Algae toxicity, ErC50, Scenedesmus subspicatus: > 1640 mg/L (72 h) Method: OECD 201 Investigation on a comparable product Daphnia toxicity, EC50, Daphnia magna (Big water flea): > 1000 mg/L (24 h) Method: OECD 202 Investigation on a comparable product Bacteria toxicity, EC50, Activated sludge: > 100 mg/L (3 h) Method: OECD 209 Investigation on a comparable product Diphenvlmethane Diisocvanate, isomers and homologues Fish toxicity, LC50, Danio rerio : > 1000 mg/L (96 h) Method: OECD 203 Algae toxicity, ErC50, Scenedesmus subspicatus: > 1640 mg/L (72 h) Method: OECD 201 Daphnia toxicity, EC50, Daphnia magna (Big water flea): > 1000 mg/L (24 h) Method: OECD 202 Bacteria toxicity, EC50, Activated sludge: > 100 mg/L (3 h) Method: OECD 209 Long-term Ecotoxicity diphenylmethane-4,4'-diisocyanate Fish toxicity, LC50 (96 h) Method: OECD 202 Investigation on a comparable product Daphnia toxicity, NOEC, Daphnia magna (Big water flea): > 10 mg/L (21 d) Method: OECD 202 Toxicity to soil macroorganisms, NOEC, Eisenia fetida: > 1000 mg/kg (14 d) Method: OECD 207 Investigation on a comparable product



Article No.: Print date Version	4 06855 BN000 11.05.2023 5.0	epple 06855-new Revision date 11.05.2023 Issue date 11.05.2023	EN Page 11 / 15	
	ial toxicity, NOEC, Ave OECD 208	ena sativa: > 1000 mg/kg (14 d)		
Terrestri Method:	ation on a comparable ial toxicity, NOEC, Lac OECD 208 ation on a comparable	ctuca sativa: > 1000 mg/kg (14 d)		
-	nethane-2,4`-diisocya			
Daphnia Method:		nnia magna (Big water flea): > 10 mg/	L (21 d)	
Toxicity Method:	to soil macroorganism OECD 207	ns, NOEC:, Eisenia fetida: > 1000 mg	/kg (14 d)	
Terrestri	ation on a comparable ial toxicity, NOEC, Ave OECD 208	∋ product ena sativa: > 1000 mg/kg (14 d)		
Investiga Terrestri	ation on a comparable	∍ product ctuca sativa: > 1000 mg/kg (14 d)		
	ation on a comparable	e product		
Daphnia	ylenediphenyl diisocya i toxicity, NOEC, Dapł OECD 202	anate nnia magna (Big water flea): > 10 mg/	L (21 d)	
Investiga Toxicity	ation on a comparable	e product ns, NOEC:, Eisenia fetida: > 1000 mg	/kg (14 d)	
Investiga Terrestri	ation on a comparable	e product vena sativa: > 1000 mg/kg (14 d)		
Investiga Terrestri Method:	ation on a comparable ial toxicity, NOEC:, La OECD 208	ictuca sativa: > 1000 mg/kg (14 d)		
•	ation on a comparable	•		
Daphnia Method:	toxicity, NOEC, Daph OECD 202	e, isomers and homologues nnia magna (Big water flea): > 10 mg/		
Method:	OECD 207	ns, NOEC, Eisenia fetida: > 1000 mg/ ena sativa: > 1000 mg/kg (14 d)	kg (14 d)	
Method: Terrestri	OECD 208	ctuca sativa: > 1000 mg/kg (14 d)		
	ice and degradability			
diphenyln	nethane-4,4´-diisocya			
Method:	OECD 302C ation on a comparable			
Biodegra	nethane-2,4`-diisocya adation:: (28 d)Eval OECD 302C	nate luation not potentially degradable		
Investiga	ation on a comparable	e product		
Biodegra	ylenediphenyl diisocya adation:: (28 d)Eval OECD 302C	anate luation not potentially degradable		
-	ation on a comparable	-		
Biodegra		, isomers and homologues 28 d)Evaluation not biodegradable		
12.3. Bioaccur	nulative potential			
Dinhenvlr	nethane Diisocyanate	, isomers and homologues		



Article Print d Versio	late	4 06855 BN000 11.05.2023 5.0	epple 06855-new Revision date 11.05.2023 Issue date 11.05.2023	EN Page 12 / 15	C eppie
	Method:	coefficient: n-octano OECD 305 C stance hydrolyzes ra	l/water: < 14 ;Evaluation Accumu pidly in water	lation in aquatic organisms is	s not expected.
	Bioconce	ntration factor (BCI	F)		
	Bioconce		inate), Cyprinus carpio (Common Carp)	200 ; Evaluation Accumula	tion in aquatic organisms is not
	Bioconce expected Method:), Cyprinus carpio (Common Carp)	200 ; Evaluation Accumula	tion in aquatic organisms is not
	Bioconce expected Method:	•), Cyprinus carpio (Common Carp)	200 ; Evaluation Accumula	tion in aquatic organisms is not
	Diphenylm Bioconce expected	nethane Diisocyanate entration factor (BCF	, isomers and homologues), Cyprinus carpio (Common Carp)	92 ; Evaluation Accumulatio	on in aquatic organisms is not
12.4.	Mobility in Toxicologi	n soil cal data are not avai	lable.		
12.5.	Results o	f PBT and vPvB as	sessment		
	The substa	ances in the mixture	do not meet the PBT/vPvB criteria	according to REACH, annex	XIII.
12.6.		e disrupting proper ation available.	ties		
12.7.		verse effects ation available.			
SEC	TION 13: I	Disposal conside	rations		
13.1.	Waste tre	atment methods			
	Recomme Do not all itself.This covering w	low to enter into su	Irface water or drains. Handle co tainer must be disposed of in a sa s waste.		•
	160508*	discarde	s/waste designations in accorda ed organic chemicals consisting of o Directive 2008/98/EC (waste fram	or containing hazardous sub	stances
		ate disposal / Packa	ige ontaminated filters at a offical ha	zardous waste incinerator	facility

Dispose of packaging and contaminated filters at a offical hazardous waste incinerator facility. Recommendation:

Waste codes / waste designations according to EWC / AVV: 15 01 10*

Non-contaminated packages may be recycled.

SECTION 14: Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name



Article No.:	4 06855 BN000	epple 06855-new
Print date	11.05.2023	Revision date 11.05.2023
Version	5.0	Issue date 11.05.2023

14.3.	Transport hazard class(es)	
		not applicable
14.4.	Packing group	
		not applicable
14 5	Environmental hazards	
14.0.		
	Land transport (ADR/RID)	not applicable
	Marine pollutant	not applicable
146	Special processions for user	

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L): 0

Use restriction according to REACH annex XVII, no.: 74

Restrictions on use

As from 24 August 2023 adequate training is required before industrial or professional use.

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

For professional use only. Product is not intended for consumer use.

Substance/product listed in the following inventories:

AICS no information DSL no information EHS no information IECSC no information KECI no information MITI no information NZLoC no information PICCS no information TSCA no information

15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:



Article No.: Print date Version	4 06855 BN000 11.05.2023 5.0	epple 06855-new Revision date 11.05.2023 Issue date 11.05.2023	EN Page 14 / 15	
EC No. CAS No.	Design	ation		REACH No.
202-966-0 101-68-8		/Imethane-4,4´-diisocyanate		01-2119457014-47
227-534-9 5873-54-		ylmethane-2,4`-diisocyanate		01-2119480143-45
219-799-4 2536-05-2	,	thylenediphenyl diisocyanate		01-2119927323-43

SECTION 16: Other information

Full text of classificatio	n in section 3:	
Acute Tox. 4 / H332	Acute toxicity (inhalative)	Harmful if inhaled.
Skin Irrit. 2 / H315	Skin corrosion/irritation	Causes skin irritation.
Eye Irrit. 2 / H319	Serious eye damage/eye irritation	Causes serious eye irritation.
Resp. Sens. 1 / H334	Respiratory or skin sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1 / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.
Carc. 2 / H351	Carcinogenicity	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
STOT SE 3 / H335	STOT-single exposure	May cause respiratory irritation.
STOT RE 2 / H373	STOT-repeated exposure	May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
Classification procedur	e	
Classification for mixtures	s and used evaluation method according to rec	gulation (EC) No 1272/2008 [CLP]
Skin Irrit. 2	Skin corrosion/irritation	Calculation method.
Eye Irrit. 2	Serious eye damage/eye irritation	Calculation method.
Resp. Sens. 1	Respiratory or skin sensitisation	Calculation method.
Skin Sens. 1	Respiratory or skin sensitisation	Calculation method.
Carc. 2	Carcinogenicity	Calculation method.
STOT SE 3	STOT-single exposure	Calculation method.

STOT-repeated exposure

STOT RE 2 Abbreviations and acronyms

Abbreviations and a	acronyms
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration

Calculation method.



Article No.: Print date Version	4 06855 BN000 11.05.2023 5.0	epple 06855-new Revision date 11.05.2023 Issue date 11.05.2023	EN Page 15 / 15	
REACH RID UN VOC vPvB	Regulat United I Volatile	ation, Evaluation, Authorisation and I tions concerning the International Ca Nations Organic Compounds rsistent and very bioaccumulative		
Abbrovist	iono and coronym	-		

Abbreviations and acronyms

n.a. = not applicable n.b. = not determined

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version