

		- J			de	ple
Article Print d Versio	late	4 07144 A0000 16.05.2023 7.0	epple 07144 black Revision date 16.0 16.05.2023		EN Page 1/8	
SEC.	TION 1: Id	entification of th	e substance/mixtu	ure and of the company	/undertaking	
1.1.	Product ic				<u></u>	
1.1.	Article No.	(manufacturer/supp le/designation	blier):	4 07144 A0000 epple 07144 black Cast resin Component A		
1.2.	Relevant i	dentified uses of t	he substance or mix	xture and uses advised ag	ainst	
	Casting re	-	ronic and other comp	onents.		
1.3.		the supplier of the	-			
		manufacturer/impo . Co. GmbH	orter/downstream us	ser/distributor)		
	Hertzstr. 8 71083 Her			Telephone: +49 7032 / 97 Telefax: +49 7032 / 9771- www.epple-chemie.de		
	Departme	nt responsible for	information:			
	laboratory					
4 4		mpetent person)	. "	labor@epple-chemie.de		
1.4.		ry telephone numb n center against pois		+49 (0) 228 / 19 240 (Adv	vice in German)	
SEC	TION 2: Ha	azards identificat	ion			
2.1.	Classifica	tion of the substar	nce or mixture			
	Classifica	tion according to F	Regulation (EC) No	1272/2008 [CLP]		
	The mixtur	e is classified as no	t hazardous accordin	ng to regulation (EC) No 127	'2/2008 [CLP].	
2.2.	Label eler	nents				
	The produ	ct is classified and la	abelled according to	EC directives or correspond	ing national laws.	
	Labelling	according to Regu	lation (EC) No. 1272	2/2008 [CLP]		
	Hazard pie	ctograms				
	Hazard sta					
		not app	licable			
	Precautio	n ary statements not app	licable			
	Hazard co	mponents for labe not app	lling			
	Suppleme EUH210	ental hazard inform		on request.		
2.3.	Other haz	ards				*
	No informa	ation available.				
	no dust is necessary respirable	generated, so inhala	ation is not to be expe I possible. Prolonged a	ected. Classification and lab Depending on handling and	sty) and during the processing of the beling with STOT RE 1 / H372 is the use (e.g. grinding), the formation of f respirable crystalline silicon dioxide	refore not f airborne
SEC	TION 3: Co	omposition/infor	mation on ingredi	ents		
3.2.	Mixtures					
···	Descriptio	n mixturo	of polyester polyols	filled		

Description mixture of polyester polyols, filled

Hazardous ingredients

Classification according to Regulation (EC) No 1272/2008 [CLP] EC No. REACH No.



ticle No.: rint date ersion	4 07144 A0000 epple 07144 black 16.05.2023 Revision date 16.05.2023 7.0 16.05.2023		EN Page 2 / 8	
CAS No. Index No.		ignation ssification: // Remark	weight-%	
238-878-4 14808-60-7	-1	rtz DT RE 1 H372	24,9 - 49,9	

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



Article No.:	4 07144 A0000	epple 07144 black
Print date	16.05.2023	Revision date 16.05.2023
Version	7.0	16.05.2023

EN Page 3 / 8

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If the workplace limit values (AGW) are exceeded, a suitable breathing apparatus must be worn. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Use filter / combination filter according to EN 14387.

Suitable respiratory protection apparatus: ABEK-P2

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear eye glasses with side protection according to EN 166.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties



Article No.:	4 07144 A0000	epple 07144 black
Print date	16.05.2023	Revision date 16.05.2023
Version	7.0	16.05.2023

9.1. Information on basic physical and chemical properties

Physical state:LiquidAppearance:LiquidColour:blackOdour threshold:not applicableMelting point/freezing point-12 °CInitial boiling point and boiling range:not applicableFlammability:Combustible liquid.Lower and upper explosion limit:0,8 Vol-%Upper explosion limit:0,8 Vol-%Upper explosion limit:not applicableFlammability:0,8 Vol-%Upper explosion limit:not applicableFlash point:100 °CAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:2 · 3 Pa*sSolubility(ies):Water solubility at 20 °C:Water solubility at 20 °C:not applicableDensity and/or relative density:not applicableDensity at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:Organic solvents:Organic solvents:1 weight-%Solvent separation test:< 3 weight-% (ADR/RID)			
Colour:blackOdour:characteristicOdour threshold:not applicableMelting point/freezing point-12 °CInitial boiling point and boiling range:not applicableFlammability:Combustible liquid.Lower and upper explosion limit:0,8 Vol-%Upper explosion limit:0,8 Vol-%Upper explosion limit:not applicableFlash point:100 °CAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:2 -3 Pa*sSolubility (les):water solubility at 20 °C:Water solubility at 20 °C:insolublePartition coefficient: n-octanol/water:see section 12Vapour pressure at 20 °C:not applicableDensity at 20 °C:not applicablePartition coefficient: n-octanol/water:see section 12Vapour pressure at 20 °C:not applicableDensity at 20 °C:not applicableDensity at 20 °C:not applicableDensity at 20 °C:not applicableDensity at 20 °C:not applicableParticle characteristics:not applicable9.2.Other informationsolvent content:Organic solvents:Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		-	-
Odour:characteristicOdour:characteristicOdour threshold:not applicableMelting point/freezing point-12 °CInitial boiling point and boiling range:not applicableFlammability:Combustible liquid.Lower and upper explosion limit:0,8 Vol-%Upper explosion limit:0,8 Vol-%Upper explosion limit:not applicableFlash point:100 °CAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):Water solubility at 20 °C:Water solubility at 20 °C:not applicableDensity and/or relative density:not applicableDensity and/or relative density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:Organic solvents:Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		• •	•
Odour threshold:not applicableOdour threshold:not applicableMelting point/freezing point-12 °CInitial boiling point and boiling range:not applicableFlammability:Combustible liquid.Lower and upper explosion limit:0,8 Vol-%Upper explosion limit:0,8 Vol-%Upper explosion limit:not applicableFlash point:100 °CAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):Water solubility at 20 °C:Water solubility at 20 °C:not applicableDensity and/or relative density:not applicableDensity and/or relative density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:Organic solvents:Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		Colour:	DIACK
Melting point/freezing point-12 °CInitial boiling point and boiling range:not applicableFlammability:Combustible liquid.Lower and upper explosion limit:0,8 Vol-%Upper explosion limit:0,8 Vol-%Upper explosion limit:not applicableFlash point:100 °CAuto-ignition temperature:not applicablepH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):water solubility at 20 °C:Water solubility at 20 °C:not applicableDensity and/or relative density:not applicableDensity at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:0 rganic solvents:Organic solvents:1 weight-%Water:0 weight-% (ADR/RID)		Odour:	characteristic
Initial boiling point and boiling range:not applicableInitial boiling point and boiling range:not applicableFlammability:Combustible liquid.Lower and upper explosion limit:0,8 Vol-%Upper explosion limit:not applicableFlash point:100 °CAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):water solubility at 20 °C:Water solubility at 20 °C:not applicableDensity and/or relative density:not applicableDensity and/or relative density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:0 rganic solvents:organic solvents:1 weight-%Water:0 weight-% (ADR/RID)		Odour threshold:	not applicable
Flammability:Combustible liquid.Lower and upper explosion limit:0,8 Vol-%Upper explosion limit:not applicableFlash point:100 °CAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):Water solubility at 20 °C:Water solubility at 20 °C:not applicableDensity and/or relative density:not applicableDensity at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:0 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		Melting point/freezing point	-12 °C
Lower and upper explosion limit: Lower explosion limit: Lower explosion limit: O,8 Vol-% Upper explosion limit: not applicable Flash point: Auto-ignition temperature: Decomposition temperature: not applicable pH at 20 °C: C: Not relevant Cinematic viscosity (40°C): Viscosity at 20 °C: Viscosity at 20 °C: Viscosity at 20 °C: Viscosity at 20 °C: Viscosity at 20 °C: Vater solubility at 20 °C: Nater sol		Initial boiling point and boiling range:	not applicable
Lower explosion limit:0,8 Vol-%Upper explosion limit:not applicableFlash point:100 °CAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):insolubleWater solubility at 20 °C:insolublePartition coefficient: n-octanol/water:see section 12Vapour pressure at 20 °C:not applicableDensity and/or relative density:not applicableDensity at 20 °C:1,38 g/cm³Relative vapour density:not applicable9.2.Other informationsolvent content:0 weight-%Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		Flammability:	Combustible liquid.
Upper explosion limit:not applicableFlash point:100 °CAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):''Water solubility at 20 °C:insolublePartition coefficient: n-octanol/water:see section 12Vapour pressure at 20 °C:not applicableDensity and/or relative density:not applicableDensity at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:0 weight-%Organic solvents:1 weight-%Water:0 weight-% (ADR/RID)		Lower and upper explosion limit:	
Flash point:100 °CAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):water solubility at 20 °C:Water solubility at 20 °C:insolublePartition coefficient: n-octanol/water:see section 12Vapour pressure at 20 °C:not applicableDensity and/or relative density:not applicableDensity at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:0 reganic solvents:Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		•	0,8 Vol-%
Auto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):water solubility at 20 °C:Water solubility at 20 °C:insolublePartition coefficient: n-octanol/water:see section 12Vapour pressure at 20 °C:not applicableDensity and/or relative density:Density at 20 °C:Density at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:0 reganic solvents:Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		Upper explosion limit:	not applicable
Decomposition temperature:not applicablepH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):insolubleWater solubility at 20 °C:insolublePartition coefficient: n-octanol/water:see section 12Vapour pressure at 20 °C:not applicableDensity and/or relative density:not applicableDensity at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:0 reganic solvents:Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		Flash point:	100 °C
pH at 20 °C:not relevantCinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):insolubleWater solubility at 20 °C:insolublePartition coefficient: n-octanol/water:see section 12Vapour pressure at 20 °C:not applicableDensity and/or relative density:not applicableDensity at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:0 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		Auto-ignition temperature:	not applicable
Cinematic viscosity (40°C):1811,59 mm²/sViscosity at 20 °C:2 - 3 Pa*sSolubility(ies):insolubleWater solubility at 20 °C:insolublePartition coefficient: n-octanol/water:see section 12Vapour pressure at 20 °C:not applicableDensity and/or relative density:not applicableDensity at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:0 reganic solvents:Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		Decomposition temperature:	not applicable
Viscosity at 20 °C:2 - 3 Pa*sSolubility(ies):insolubleWater solubility at 20 °C:insolublePartition coefficient: n-octanol/water:see section 12Vapour pressure at 20 °C:not applicableDensity and/or relative density:not applicableDensity at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2.Other informationsolvent content:0 reganic solvents:Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		pH at 20 °C:	not relevant
Solubility are or Solubility are or Solubility (ies): water solubility at 20 °C: insoluble Partition coefficient: n-octanol/water: see section 12 Vapour pressure at 20 °C: not applicable Density and/or relative density: Density at 20 °C: Density at 20 °C: 1,38 g/cm³ Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information solvent content: Organic solvents: Organic solvents: 1 weight-% Water: 0 weight-% Solvent separation test: < 3 weight-% (ADR/RID)		Cinematic viscosity (40°C):	1811,59 mm²/s
Water solubility at 20 °C: insoluble Partition coefficient: n-octanol/water: see section 12 Vapour pressure at 20 °C: not applicable Density and/or relative density: not applicable Density at 20 °C: 1,38 g/cm³ Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information solvent content: 0 rganic solvents: Organic solvents: 1 weight-% Water: 0 weight-% Solvent separation test: < 3 weight-% (ADR/RID)		Viscosity at 20 °C:	2 - 3 Pa*s
Partition coefficient: n-octanol/water: see section 12 Vapour pressure at 20 °C: not applicable Density and/or relative density: not applicable Density at 20 °C: 1,38 g/cm³ Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information solvent content: 0 rganic solvents: Organic solvents: 1 weight-% Water: 0 weight-% Solvent separation test: < 3 weight-% (ADR/RID)		Solubility(ies):	
Vapour pressure at 20 °C:not applicableDensity and/or relative density:		Water solubility at 20 °C:	insoluble
Density and/or relative density: 1,38 g/cm³ Density at 20 °C: 1,38 g/cm³ Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information solvent content: 0 weight-% Water: 0 weight-% Solvent separation test: < 3 weight-% (ADR/RID)		Partition coefficient: n-octanol/water:	see section 12
Density at 20 °C:1,38 g/cm³Relative vapour density:not applicableparticle characteristics:not applicable9.2. Other informationsolvent content:Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		Vapour pressure at 20 °C:	not applicable
Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information solvent content: Organic solvents: 1 weight-% Water: 0 weight-% Solvent separation test: < 3 weight-% (ADR/RID)			
particle characteristics: not applicable 9.2. Other information solvent content: Organic solvents: 1 weight-% Water: 0 weight-% Solvent separation test: < 3 weight-% (ADR/RID)		Density at 20 °C:	1,38 g/cm³
9.2. Other information solvent content: 1 weight-% Organic solvents: 1 weight-% Water: 0 weight-% Solvent separation test: < 3 weight-% (ADR/RID)		Relative vapour density:	not applicable
solvent content: 1 weight-% Organic solvents: 1 weight-% Water: 0 weight-% Solvent separation test: < 3 weight-% (ADR/RID)		particle characteristics:	not applicable
Organic solvents:1 weight-%Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)	9.2.	Other information	
Water:0 weight-%Solvent separation test:< 3 weight-% (ADR/RID)		solvent content:	
Solvent separation test: < 3 weight-% (ADR/RID)		-	-
		Water:	0 weight-%
SECTION 10: Stability and reactivity		Solvent separation test:	< 3 weight-% (ADR/RID)
	SEC	TION 10: Stability and reactivity	

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. **Incompatible materials** not applicable

10.6. Hazardous decomposition products

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

SECTION 11: Toxicological information



Article No.:	4 07144 A0000	epple 07144 black
Print date	16.05.2023	Revision date 16.05.2023
Version	7.0	16.05.2023

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP. Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste



Article No Print date Version		epple 07144 black Revision date 16.05.2023 EN 16.05.2023 Page 6 / 8
	posal according to directiv gulations!	e 2008/98/EC, covering waste and dangerous waste.Observe in addition any national
		waste designations in accordance with EWC nesives and sealants other than those mentioned in 08 04 09
Dis Re	commendation:	e taminated filters at a offical hazardous waste incinerator facility. ns according to EWC / AVV: 15 01 10*
No	n-contaminated packages m	y be recycled.
SECTIO	N 14: Transport informa	on
	is mixture is not classifi AO/IATA).	d as dangerous according to international transport regulations (ADR/RID, IMDG,
		of this transport regulation.
	I number or ID number	
		not applicable
14.2. UN	I proper shipping name	
14.3. Tra	ansport hazard class(es)	not applicable
14.4. Pa	cking group	not applicable
14.5. En	vironmental hazards	
	nd transport (ADR/RID)	not applicable
	arine pollutant	not applicable
-	ecial precautions for user	
cas	ansport always in closed, upr se of an accident or leakage. lvices on safe handling: see p	ght and safe containers. Make sure that persons transporting the product know what to do in arts 6 - 8
Fu	rther information	
	nd transport (ADR/RID) nnel restriction code	
	a transport (IMDG) nS-No.	not applicable
	aritime transport in bulk ac	
	transport as bulk according	-
	N 15: Regulatory inform	
	<u> </u>	
	legislation	tal regulations/legislation specific for the substance or mixture
	-	trial emissions [Industrial Emissions Directive]
	C-value (in g/L): 16	
	tional regulations	

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.



Article No.:	4 07144 A0000	epple 07144 black
Print date	16.05.2023	Revision date 16.05.2023
Version	7.0	16.05.2023

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

For professional use only. Product is not intended for consumer use.

Substance/product listed in the following inventories:

AICS no information DSL no information EHS no information IECSC no information KECI no information MITI no information NZLoC no information PICCS no information TCSI no information TSCA no information

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Full text of classification in section 3:				
STOT RE 1 / H372	STOT-repeated exposure			

Causes damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
UN	United Nations
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative

Abbreviations and acronyms

n.a. = not applicable

n.b. = not determined



Article No.:	4 07144 A0000	epple 07144 black
Print date	16.05.2023	Revision date 16.05.2023
Version	7.0	16.05.2023

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version