accor	rding to Re	gulation	(EU) 202	20/878		Poppla	2
Article Print d Versio	late	9 DESIN 11.07.202 4.0		epple-disinfect har Revision date 11.0 11.07.2023		EN Page 1/7	-
SEC	TION 1: Ide	entificatio	on of the	substance/mixtu	ure and of the compa	any/undertaking	
1.1.	Product id	entifier					
	Article No. ( Trade name			ier):	9 DESIN FEKT4 epple-disinfect hand s UFI: 90QN-UFCV-57F		
1.2.					xture and uses advised	d against	
1.3.				safety data sheet			
	E. Epple &			ter/downstream us	ser/distributor)		
	Hertzstr. 8 71083 Herro				Telephone: +49 7032 Telefax: +49 7032 / 97 www.epple-chemie.de	771-60	
	-	t respons	ible for i	nformation:			
	laboratory E-mail (com	petent pe	rson)		labor@epple-chemie.	de	
1.4.	Emergency Information				+49 (0) 228 / 19 240 (		
SEC	TION 2: Ha	zards ide	entificati	on			
2.1.	Classificat	ion of the	substan	ce or mixture			
	Classificat	ion accor	ding to R	egulation (EC) No	1272/2008 [CLP]		
			ed as haz	-	o regulation (EC) No 127		
	Flam. Liq. 2 Eye Irrit. 2 /			Flammable liquids Serious eye damag	ge/eye irritation	Highly flammable liquid and vapour. Causes serious eye irritation.	
2.2.	Label elem	ents				*	
	The produc	t is classifi	ed and la	belled according to	EC directives or corresp	oonding national laws.	
			to Regul	ation (EC) No. 1272	2/2008 [CLP]		
	Hazard pic	tograms					
		(!)	D	anger			
	Hazard sta H225 H319	tements	•••	ammable liquid and serious eye irritatior	•		
	Precaution	ary stater	nents	-			
	P101 P102			al advice is needed, t of reach of childrer	have product container	or label at hand.	
	P210					mes and other ignition sources. No smoking.	
	P271	1 + 0220		outdoors or in a we		minutes. Remove contact lenses, if present and	
	+ P310 P501	1 330	easy to o	do. Continue rinsing		SON CENTER or doctor/physician.	
	Hazard cor	nponents	for label not appli	-			
	Supplemer	ntal hazar	d informa	ation			
0.0	Otherstein		not appli	cable			
2.3.	Other haza						
050	No information available. CTION 3: Composition/information on ingredients						
		mpositio	n/intorn	nation on ingredi	ents		
3.2.	Mixtures						

3

Description

Classification according to Regulation (EC) No 1272/2008 [CLP]



Article No.: Print date Version		9 DESIN FEKT4 11.07.2023 4.0	epple-disinfect hand sensitive + Revision date 11.07.2023 11.07.2023	EN Page 2 / 7	
	EC No. CAS No. Index No.	REACH Design classifi			weight-%
	200-578-6 64-17-5 603-002-00-	Ethanol	9457610-43 2 H319 / Flam. Liq. 2 H225		74,9 - 100

## Additional information

Full text of classification: see section 16

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

## **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

## In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

When in doubt or if symptoms are observed, get medical advice.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

# **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

- 4.2. Most important symptoms and effects, both acute and delayed In all cases of doubt, or when symptoms persist, seek medical advice.
- 4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

# Unsuitable extinguishing media

strong water jet

# 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

# 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Do not allow water used to extinguish fire to enter drains, ground or waterways. Cool closed containers that are near the source of the fire.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

# 6.3. **Methods and material for containment and cleaning up** Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. **Reference to other sections** Observe protective provisions (see section 7 and 8).

# **SECTION 7: Handling and storage**



Article No.:	9 DESIN FEKT4	epple-disinfect hand sensitive +
Print date	11.07.2023	Revision date 11.07.2023
Version	4.0	11.07.2023

## 7.1. Precautions for safe handling

## Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard.

Page 3/7

#### **Further information**

Vapours are heavier than air. Vapours form explosive mixtures with air.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

# Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

# SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

# **Occupational exposure limit values**

Ethanol

Index No. 603-002-00-5 / EC No. 200-578-6 / CAS No. 64-17-5 TWA: 1920 mg/m3; 1000 ppm

## Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

# DNEL:

Ethanol

Index No. 603-002-00-5 / EC No. 200-578-6 / CAS No. 64-17-5 DNEL long-term dermal (systemic), Workers: 343 mg/kg bw/day DNEL acute inhalative (local), Workers: 1900 mg/m<sup>3</sup> DNEL long-term inhalative (systemic), Workers: 950 mg/m<sup>3</sup>

# PNEC:

Ethanol

Index No. 603-002-00-5 / EC No. 200-578-6 / CAS No. 64-17-5 PNEC aquatic, freshwater: 0,96 mg/L PNEC aquatic, marine water: 0,79 mg/L PNEC aquatic, intermittent release: 2,75 mg/L PNEC sediment, freshwater: 3,6 mg/kg d.w. PNEC sediment, marine water: 2,9 mg/kg d.w. PNEC, soil: 0,63 mg/kg food PNEC Secondary Poisoning: 0,72 mg/kg food

#### 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

# Personal protection equipment

## **Respiratory protection**

Respiratory protection is not necessary if room is well ventilated.

# Hand protection

Hand protection is not required ...

# Eye/face protection

Eye protection: not required.

# **Body protection**

Body protection: not required.



Article No.:	9 DESIN FEKT4	epple-disinfect hand sensitive +
Print date	11.07.2023	Revision date 11.07.2023
Version	4.0	11.07.2023

## Protective measures

# Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Appearance:	Liquid
Colour:	translucent
Odour:	characteristic
Odour threshold:	not applicable
Melting point/freezing point:	-114 °C
	Source: Ethanol
Initial boiling point and boiling range:	78 °C
	Source: Ethanol
Flammability:	Highly flammable liquid and vapour.
Lower and upper explosion limit:	
Lower explosion limit:	3,1 Vol-%
	Source: Ethanol
Upper explosion limit:	27,7 Vol-%
	Source: Ethanol
Flash point:	12 °C
Auto-ignition temperature:	400 °C
	Source: Ethanol
Decomposition temperature:	not applicable
pH at 20 °C:	not applicable
Viscosity at 20 °C:	keine Angabe
Solubility(ies):	
Water solubility at 20 °C:	completely miscible
Partition coefficient: n-octanol/water:	see section 12
Vapour pressure at 20 °C:	58 mbar
	Source: Ethanol
Density and/or relative density:	
Density at 20 °C:	0,82 g/cm³
Relative vapour density:	not applicable
particle characteristics:	not applicable
Other information	

# 9.2. Other information

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No information available.

# 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

# 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

# 10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

# 10.5. Incompatible materials

not applicable



Article No.:	9 DESIN FEKT4	epple-disinfect hand sensitive +
Print date	11.07.2023	Revision date 11.07.2023
Version	4.0	11.07.2023

# 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Ethanol

oral, LD50, Rat: 10470 mg/kg Method: OECD 401 inhalative (vapours), LC50, Rat: 116,9 mg/L (4 h) Method: OECD 403

#### Skin corrosion/irritation; Serious eye damage/eye irritation

Causes serious eye irritation.

# Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

# STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

# **Overall assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself .

# 11.2. Information on other hazards

# Endocrine disrupting properties

No information available.

# **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Ethanol Fish toxicity, LC50, Pimephales promelas (fathead minnow): 14200 mg/L (96 h) Method: US EPA method E03-05 Algae toxicity, ErC50, Chlorella vulgaris: 275 mg/L (72 h) Method: OECD 201 Daphnia toxicity, LC50, Ceriodaphnia dubia: 5012 mg/L (48 h) Method: ASTM E729-80 Fish toxicity, EC50, Pimephales promelas (fathead minnow): 12,9 g/L (96 h) Method: US EPA method E03-05 Algae toxicity, ErC50, Chlorella vulgaris: 675 mg/L (96 h) Method: OECD 201

# Long-term Ecotoxicity



Article Print c Versic	date	9 DESIN FEKT4 11.07.2023 4.0	epple-disinfect hand sensitive + Revision date 11.07.2023 EN 11.07.2023 Page 6 / 7	eppie		
	Method: Daphnia Daphnia	OECD 212 toxicity, NOEC, Cerio toxicity, LC50, Cerio	o : 250 mg/L (120 h) daphnia dubia: 9,6 mg/L (10 d) aphnia dubia: 1806 mg/L (10 d) ia magna (Big water flea): 454 mg/L (9 d)			
12.2.		ce and degradabilit				
	Ethanol Biodegra	dation: 84 % (20 d)				
12.3.	-	ulative potential				
	Ethanol Partition o	coefficient: n-octano	water: -0,77			
12.4.	Mobility in Toxicologic	s <b>oil</b> al data are not avai	ıble.			
12.5.	Results of	PBT and vPvB ass	essment			
			o not meet the PBT/vPvB criteria according to REACH, annex XIII.			
12.6.		disrupting proper tion available.	es			
12.7.		erse effects tion available.				
050						
		)isposal consider	allons			
13.1.	Waste treatment methods					
	Appropriate disposal / Product Recommendation Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.					
	List of proposed waste codes/waste designations in accordance with EWC 140603* other solvents and solvent mixtures *Hazardous waste according to Directive 2008/98/EC (waste framework directive).					
	Appropriate disposal / Package Dispose of packaging and contaminated filters at a offical hazardous waste incinerator facility. Recommendation: Waste codes / waste designations according to EWC / AVV: 15 01 10*					
SEC	TION 14: T	ransport informa	ion			
14.1.	UN numbe	er or ID number				
			UN 1170			
14.2.	Land trans Sea transp	r <b>shipping name</b> port (ADR/RID): ort (IMDG): rt (ICAO-TI / IATA-D	Ethanol ETHANOL (ETHYL ALCOHOL) GR): Ethanol			
14.3.	Transport	hazard class(es)				
111	Booking -	KOUD	3			
14.4.	Packing g	ioup	11			
14.5.	Environm	ental hazards				
	Land trans	port (ADR/RID)	not applicable			
	Marine pol	utant	not applicable			

# 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8



rticle No.: rint date ersion	9 DESIN FEKT4 11.07.2023 4.0	epple-disinfect hand sensitive + Revision date 11.07.2023 11.07.2023	EN Page 7/7					
Further	information							
Land tra	ansport (ADR/RID)							
	estriction code	D/E						
Sea trar	nsport (IMDG)							
EmS-No	).	F-E, S-E						
4.7. Maritim	e transport in bulk ad	cording to IMO instruments						
No trans	port as bulk according	IBC - Code.						
SECTION 15	: Regulatory inforn	nation						
5.1. Safety,	health and environm	ental regulations/legislation specific fo	or the substance or mixture					
EU legis	slation							
	Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 714							
	l regulations							
	ions of occupation							
Observe	Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if							
	applicable.							
	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.							
	Substance/product listed in the following inventories:							
	AICS listed							
DSL liste								
	EHS no information							
	IECSC listed KECI listed							
-	MITI listed							
-	NZLoC no information							
PICCS I								
TSCA lis	information							
-	al Safety Assessmen	t						
		s of this mixture a chemical safety ass	essment has been carried out:					
EC No.	Design	ation	REACH No.					
CAS No 200-578 64-17-5			01-2119457610-43					
	: Other information							
	t of classification in s 2 / H319							
	q. 2 / H225	Serious eye damage/eye irritation Flammable liquids	Causes serious eye irritation. Highly flammable liquid and vapour.					
	Classification procedure							
Classific	ation for mixtures and	used evaluation method according to reg						
Flam. Li	•	Flammable liquids	On basis of test data.					
Eye Irrit.		Serious eye damage/eye irritation	Calculation method.					
	information	gulation (EC) No 1272/2008 [CLP]						
JIASSIIL	ימנוטוו מטטטועוווץ נט הפנ	Julation (LO) NO 1212/2000 [OLI ]						

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

\* Data changed compared with the previous version